01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
2WAY STRAIGHT TRACK - BLACK (PER METRE) [2W01B]	2W0101	1.170 kg	1.170 kg	-	-
2WAY CURVED TRACK - BLACK (PER METRE) [2W01BC]	2W0102	1.170 kg	1.170 kg	-	-
2WAY 0.30 m RADIUS x 90 DEGREE CURVED TRACK - BLACK [2W01BC-300-90] *	2W0103	1.970 kg	1.990 kg	-	-
2WAY 0.50 m RADIUS x 90 DEGREE CURVED TRACK - BLACK [2W01BC-500-90] *	2W0104	2.330 kg	2.330 kg	-	-
2WAY 0.75 m RADIUS x 90 DEGREE CURVED TRACK - BLACK [2W01BC-750-90] *	2W0105	2.780 kg	2.780 kg	-	-
2WAY 1.00 m RADIUS x 90 DEGREE CURVED TRACK - BLACK [2W01BC-1000-90] *	2W0106	3.240 kg	3.240 kg	-	-
2WAY STRAIGHT TRACK - SILVER (PER METRE) [2W01S]	2W0201	1.170 kg	1.170 kg	-	-
2WAY CURVED TRACK - SILVER (PER METRE) [2W01SC]	2W0202	1.170 kg	1.170 kg	-	-
2WAY 0.30 m RADIUS x 90 DEGREE CURVED TRACK - SILVER [2W01SC-300-90] *	2W0203	1.970 kg	1.970 kg	-	-
2WAY 0.50 m RADIUS x 90 DEGREE CURVED TRACK - SILVER [2W01SC-500-90] *	2W0204	2.330 kg	2.330 kg	-	-
2WAY 0.75 m RADIUS x 90 DEGREE CURVED TRACK - SILVER [2W01SC-750-90] *	2W0205	2.780 kg	2.780 kg	-	-
2WAY 1.00 m RADIUS x 90 DEGREE CURVED TRACK - SILVER [2W01SC-1000-90] *	2W0206	3.240 kg	3.240 kg	-	-
2WAY JOINT SET [2W05]	2W0501	0.105 kg	0.105 kg	-	-
2WAY PLAIN WHEEL RUNNER (WLL 15 kg) [2W06P]	2W0601	0.016 kg	0.016 kg	-	-
2WAY BALL RACED RUNNER (WLL 15 kg) [2W06C]	2W0602	0.020 kg	0.020 kg	-	-
2WAY PLAIN WHEEL MASTER RUNNER [2W07W]	2W0701	0.036 kg	0.036 kg	-	-
2WAY BALL RACED MASTER RUNNER	2W0702	0.043 kg	0.043 kg	-	-
2WAY OVERLAP ARM [2W07AB]	2W8001	0.179 kg	0.179 kg	-	-
2WAY END STOP [2W24]	2W2401	0.025 kg	0.025 kg	-	-
2WAY OVERLAP CLIP [2W26]	2W2601	0.180 kg	0.180 kg	-	-
2WAY CURTAIN HOOK FOR RUFFLETTE TAPE [2W29]	2W0801	0.004 kg	0.004 kg	-	-
2WAY CEILING MOUNT CLIPS (5 PAIRS) [2W30]	2W1701	0.064 kg	0.064 kg	-	-
ERAIL / 2WAY M8 ATTACHMENT NUT [M8ER2W]	ERL1704	0.005 kg	0.005 kg	-	-
ERAIL STRAIGHT TRACK (PER METRE) [ERL01]	ERL0101	0.816 kg	0.816 kg	-	-
ERAIL CURVED TRACK (PER METRE) [ERL01C]	ERL0102	0.816 kg	0.816 kg	-	-
ERAIL 0.50 m RADIUS x 90 DEGREE CURVED TRACK [ERL01C-500-90] *	ERL0103	1.630 kg	1.630 kg	-	-

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
ERAIL 0.75 m RADIUS x 90 DEGREE CURVED TRACK [ERL01C-750-90] *	ERL0104	1.950 kg	1.950 kg	-	-
ERAIL 1.00 m RADIUS x 90 DEGREE CURVED TRACK [ERL01C-1000-90] *	ERL0105	2.270 kg	2.270 kg	-	-
ERAIL OFFSET OVERLAP TRACK ASSEMBLY - 3.00 m LONG [ERL26C]	ERL0108	3.325 kg	3.325 kg	-	-
ERAIL JOINT SET [ERL05]	ERL0501	0.206 kg	0.206 kg	-	-
ERAIL 2 WHEEL RUNNER (WLL 15 kg) [ERL06]	ERL0601	0.055 kg	0.055 kg	-	-
ERAIL FESTOON RUNNER [ERL06F]	ERL0602	0.291 kg	0.291 kg	-	-
ERAIL 4 WHEEL MASTER RUNNER - WALKALONG SYSTEMS (WLL 15 kg PER LOOP) [ERL07]	ERL0701	0.234 kg	0.234 kg	-	-
ERAIL 12 WHEEL MASTER RUNNER - WALKALONG (WLL 15 kg PER LOOP) [ERL0712]	ERL0702	0.413 kg	0.413 kg	-	-
ERAIL MASTER RUNNER (WLL 15 kg PER LOOP) - STRAIGHT CORDING [ERL07S12]	ERL0703	0.539 kg	0.539 kg	-	-
ERAIL MASTER RUNNER (WLL 15 kg PER LOOP) - CURVE CORDING [ERL2012]	ERL0704	0.666 kg	0.666 kg	-	-
ERAIL MASTER RUNNER WITH LIMIT STRIKER (WLL 30 kg) - STRAIGHT CORDING [ERL07SL12]	ERL0705	0.590 kg	0.590 kg	-	-
ERAIL DEMOUNTABLE MASTER RUNNER	ERL0709	0.601 kg	0.601 kg	-	-
ERAIL DEMOUNTABLE MASTER RUNNER WITH OVERLAP ARM	ERL0710	0.676 kg	0.687 kg	-	-
ERAIL OVERLAP ARM FOR ERL0701 [ERL07A]	ERL8001	0.254 kg	0.254 kg	-	-
ERAIL OVERLAP ARM FOR ERL0702, ERL0703, ERL0704, ERL0705 [ERL07A12]	ERL8002	0.257 kg	0.257 kg	-	-
ERAIL HEAD PULLEY [ERL09]	ERL0901	0.867 kg	0.867 kg	-	-
ERAIL RETURN PULLEY [ERL10]	ERL1001	0.643 kg	0.643 kg	-	-
ERAIL / 2WAY HOOK CLAMP [ERL14]	ERL1401	0.392 kg	0.392 kg	-	-
ERAIL / 2WAY HOOK CLAMP - NEW DESIGN	ERL1402	0.248 kg	0.248 kg	-	-
ERAIL DEADLINE FIXING [ERL15]	ERL1501	0.544 kg	0.544 kg	-	-
ERAIL / 2WAY SUSPENSION BRACKET - STRAIGHT SYSTEMS [ERL17]	ERL1701	0.098 kg	0.098 kg	-	-
ERAIL / 2WAY SUSPENSION BRACKET - CURVE CORDING [ERL23]	ERL1702	0.220 kg	0.220 kg	-	-
ERAIL FLUSH SUSPENSION BRACKET - WALKALONG SYSTEMS [ERL30]	ERL1703	0.038 kg	0.038 kg	-	-
ERAIL / 2WAY M8 STUDDING - 150 mm WITH NUTS AND WASHERS [ERL18]	ERL1801	0.086 kg	0.086 kg	-	-
ERAIL HEAD PULLEY CORD GUIDE - CURVED CORDING [ERL21]	ERL1901	0.228 kg	0.228 kg	-	-

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
ERAIL CORD GUIDE - CURVED CORDING [ERL19]	ERL1902	0.153 kg	0.153 kg	-	-
ERAIL END STOP [ERL24]	ERL2401	0.085 kg	0.085 kg	-	-
ERAIL LINE PICKUP - STRAIGHT CORDING [ERL25]	ERL2501	0.080 kg	0.080 kg	-	-
ERAIL OVERLAP CLIP [ERL26]	ERL2601	0.167 kg	0.167 kg	-	-
MANUAL TRACK DRIVE - WALL MOUNTED [HTDW]	HDU6501	6.940 kg	6.940 kg	-	-
MANUAL TRACK DRIVE - FLOOR MOUNTED [HTDF]	HDU6502	18.440 kg	18.440 kg	-	-
SDRIVE - 240 V - WLL 150 kg STRAIGHT / 100 kg CURVED [SDRIVE]	MDU6201	19.000 kg	19.000 kg	-	-
TDRIVE - 240 V - WLL 300 kg STRAIGHT / 200 kg CURVED [TDRIVE]	MDU6001	28.000 kg	28.000 kg	-	-
TDRIVE HD - 240 V - WLL 400 kg STRAIGHT / 300 kg CURVED [TDRIVE-HD]	MDU6101	34.500 kg	34.500 kg	-	-
TDRIVE WITH NO CONTROL - 240 V - WLL 300 kg STRAIGHT / 200 kg CURVED [TRAD]	MDU6002	27.000 kg	27.000 kg	-	-
TDRIVE MOTOR MOUNTING PLATE FOR CURVED UNIBEAM AND UNITRACK	MDA7301	1.500 kg	1.500 kg	-	-
UNITRACK 0.25 m STRAIGHT TRACK [TRA01]	TRA0101	0.806 kg	0.806 kg	-	-
UNITRACK 0.50 m STRAIGHT TRACK [TRA02]	TRA0102	1.466 kg	1.466 kg	-	-
UNITRACK 1.00 m STRAIGHT TRACK [TRA03]	TRA0103	2.864 kg	2.864 kg	-	-
UNITRACK 2.00 m STRAIGHT TRACK [TRA04]	TRA0104	5.434 kg	5.434 kg	-	-
UNITRACK JOINT SET [TRA05]	TRA0501	0.367 kg	0.367 kg	-	-
UNITRACK / UNIBEAM 2 WHEEL RUNNER (WLL 25 kg) [TRA06]	TRA0601	0.131 kg	0.131 kg	-	-
UNITRACK / UNIBEAM 4 WHEEL RUNNER (WLL 25 kg) [TRA06C]	TRA0602	0.165 kg	0.165 kg	-	-
UNITRACK / UNIBEAM 2 WHEEL REARFOLD RUNNER (WLL 25 kg) [TRA06R]	TRA0603	0.166 kg	0.166 kg	-	-
UNITRACK / UNIBEAM MASTER RUNNER - STRAIGHT SYSTEMS (WLL 50 kg) [TRA07]	TRA0701	0.841 kg	0.841 kg	-	-
UNITRACK / UNIBEAM OVERLAP ARM FOR TRA0701 [TRA07A]	TRA8001	0.625 kg	0.625 kg	-	-
UNITRACK / UNIBEAM MASTER RUNNER WITH LIMIT STRIKER - STRAIGHT CORDING (WLL 50 kg) [TRA07L]	TRA0705	0.957 kg	0.957 kg	-	-
UNITRACK / UNIBEAM REARFOLD TAG, BRIDGE AND RIVETS FOR RETRO-FITTING TO TRA0601 [TRA08]	TRA8009	0.035 kg	0.035 kg	-	-
UNITRACK / UNIBEAM LEADING EDGE TENSIONER [TRA08F]	TRA8005	1.780 kg	1.940 kg	1.850 kg	1.861 kg
UNITRACK / UNIBEAM HEAD PULLEY - OVERLAPPING TRACK [TRA09]	TRA0903	1.727 kg	2.030 kg	1.867 kg	1.889 kg
UNITRACK / UNIBEAM RETURN PULLEY - OVERLAPPING TRACK [TRA10]	TRA1003	1.115 kg	1.538 kg	1.255 kg	1.277 kg

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
FOOT STIRRUP - ALL CORDED SYSTEMS [TRA11]	TRA1101	1.207 kg	1.207 kg	-	-
ADJUSTABLE FLOOR PULLEY - ALL CORDED SYSTEMS [TRA12]	TRA1102	1.408 kg	1.408 kg	-	-
GIRDER CLAMP - ALL SYSTEMS [TRA13]	TRA1301	1.453 kg	1.453 kg	-	-
UNITRACK / UNIBEAM HOOK CLAMP [TRA14]	TRA1401	0.506 kg	0.657 kg	0.574 kg	0.577 kg
UNITRACK DEADLINE FIXING [TRA15]	TRA1501	0.290 kg	0.290 kg	-	-
WALL BRACKET 300 mm - ALL SYSTEMS [TRA16]	TRA1601	0.793 kg	0.793 kg	-	-
WALL BRACKET 500 mm - ALL SYSTEMS [TRA16-500]	TRA1602	2.871 kg	2.871 kg	-	-
WALL BRACKET 700 mm - ALL SYSTEMS	TRA1603	3.700 kg	3.700 kg	-	-
WALL BRACKET SQUARE WASHER	TRA1604	0.021 kg	0.021 kg	-	-
UNITRACK / UNIBEAM SUSPENSION PLATE - OVERLAPPING TRACK [TRA17]	TRA1702	0.220 kg	0.522 kg	0.360 kg	0.382 kg
M12 STUDDING - 150 mm WITH NUTS AND WASHERS [TRA18]	TRA1801	0.198 kg	0.198 kg	-	-
UNITRACK / UNIBEAM CORD GUIDE - CURVED TRACK [TRA19]	TRA1901	0.467 kg	0.618 kg	0.517 kg	0.539 kg
UNITRACK / UNIBEAM MASTER RUNNER - CURVED SYSTEMS (WLL 50 kg) [TRA20]	TRA0704	1.307 kg	1.307 kg	-	-
UNITRACK / UNIBEAM SCENERY CARRIER HD - CURVED CORDING (WLL 125 kg) [TRA20HD]	TRA2805	2.901 kg	2.922 kg	-	-
UNITRACK / UNIBEAM HEAD PULLEY - CURVED TRACK [TRA21]	TRA0904	1.522 kg	1.824 kg	1.662 kg	1.624 kg
UNITRACK / UNIBEAM RETURN PULLEY - CURVED TRACK [TRA22]	TRA1004	1.032 kg	1.334 kg	1.172 kg	1.194 kg
UNITRACK / UNIBEAM SUSPENSION BRACKET - CURVED TRACK [TRA23]	TRA1703	0.754 kg	1.056 kg	0.894 kg	0.916 kg
UNITRACK / UNIBEAM END STOP [TRA24]	TRA2401	0.186 kg	0.488 kg	0.336 kg	0.358 kg
UNITRACK / UNIBEAM FLAT END STOP [TRA24S]	TRA2403	0.073 kg	0.224 kg	0.143 kg	0.154 kg
UNITRACK / UNIBEAM END STOP FOR HD CARRIERS [TRA24HD]	TRA2402	0.875 kg	1.026 kg	0.945 kg	0.956 kg
UNITRACK / UNIBEAM LINE PICKUP - OVERLAPPING SYSTEMS [TRA25]	TRA2501	0.213 kg	0.364 kg	0.283 kg	0.294 kg
UNITRACK / UNIBEAM OVERLAP CLIP [TRA26]	TRA2601	0.145 kg	0.296 kg	0.215 kg	0.226 kg
UNITRACK / UNIBEAM OVERLAP CLIP FOR TRA2802 & UBM2801	TRA2602	0.292 kg	0.594 kg	0.432 kg	0.454 kg
BLACK 8 mm POLYESTER CORD (PER METRE) [TRA27]	TRA2701	0.046 kg	0.046 kg	-	-
UNITRACK / UNIBEAM SCENERY CARRIER (WLL 50 kg) [TRA28A]	TRA2801	0.817 kg	0.817 kg	-	-
UNITRACK / UNIBEAM SCENERY CARRIER HD (WLL 125 kg) [TRA28AHD]	TRA2802	2.267 kg	2.267 kg	-	-

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
UNITRACK / UNIBEAM HD SCENERY CARRIER WITH BRAKE (WLL 125 kg) [TRA28AHDBK]	TRA2803	2.737 kg	2.737 kg	-	-
UNITRACK / UNIBEAM HD SCENERY CARRIER WITH LOOPS (WLL 125 kg) [TRA28AHDC]	TRA2804	2.471 kg	2.493 kg	-	-
UNITRACK / UNIBEAM CORD ARM FOR TRA0701 & TRA2801 - CURVE CORDING [TRA28ARM]	TRA8002	0.650 kg	0.668 kg	-	-
UNITRACK / UNIBEAM SCENERY ATTACHMENT CLAMP FOR TRA2801, TRA2802, UBM2801 [TRA28B]	TRA8004	1.001 kg	1.001 kg	-	-
UNITRACK / UNIBEAM HD CORD ARM FOR TRA2802 & UBM2801 - CURVED CORDING [TRA28HDARM]	TRA8003	0.663 kg	0.663 kg	-	-
UNITRACK / UNIBEAM CENTRAL ROPE CROSSOVER FOR BI-PARTING REARFOLD SYSTEMS [TRA29]	TRA1909	1.220 kg	1.522 kg	1.316 kg	1.382 kg
UNITRACK / UNIBEAM HEAD PULLEY - SINGLE TRACK [TRA31H]	TRA0901	0.395 kg	0.697 kg	0.535 kg	0.557 kg
UNITRACK / UNIBEAM HEAD PULLEY HD - SINGLE TRACK [TRA31HHD]	TRA0902	1.345 kg	1.647 kg	1.485 kg	1.507 kg
UNITRACK / UNIBEAM RETURN PULLEY - SINGLE TRACK [TRA31R]	TRA1001	0.693 kg	0.982 kg	0.848 kg	0.844 kg
UNITRACK / UNIBEAM RETURN PULLEY - DOUBLE CORDING [TRA43]	TRA1008	3.042 kg	3.344 kg	3.182 kg	3.204 kg
UNITRACK / UNIBEAM CORD GUIDE - SIDE CORDING [TRA32]	TRA1906	0.754 kg	0.905 kg	0.827 kg	0.838 kg
UNITRACK / UNIBEAM CENTRE OVERLAP DIVERTER - SIDE CORDING [TRA33]	TRA1907	1.504 kg	1.806 kg	1.644 kg	1.666 kg
UNITRACK / UNIBEAM HEAD & RETURN PULLEY SET - SIDE CORDING [TRA34]	TRA0906	2.091 kg	2.544 kg	2.301 kg	2.334 kg
UNITRACK / UNIBEAM ROPE CLAMP FOR TRA0701 - SIDE CORDING [TRA35]	TRA8006	0.314 kg	0.314 kg	-	-
UNITRACK / UNIBEAM ROPE CLAMP FOR TRA2802 - SIDE CORDING [TRA35HD]	TRA8007	0.312 kg	0.312 kg	-	-
UNITRACK 1.00 m RADIUS x 90 DEGREE CURVED TRACK [TRC1090]	TRA0105	4.000 kg	4.000 kg	-	-
UNITRACK 1.50 m RADIUS x 90 DEGREE CURVED TRACK [TRC1590]	TRA0106	6.500 kg	6.500 kg	-	-
UNITRACK 2.00 m RADIUS x 90 DEGREE CURVED TRACK [TRC2090]	TRA0107	8.500 kg	8.500 kg	-	-
UNITRACK 3.00 m RADIUS x 90 DEGREE CURVED TRACK (IN 2 PIECES) [TRC3090]	TRA0108	13.000 kg	13.000 kg	-	-
UNIBEAM STRAIGHT TRACK (PER METRE) [UBM01]	UBM0101	3.441 kg	3.441 kg	-	-
UNIBEAM CURVED TRACK (PER METRE) [UBM01C]	UBM0102	3.441 kg	3.441 kg	-	-
UNIBEAM 2.00 m RADIUS x 90 DEGREE CURVED TRACK [UBM01C-2000-90] *	UBM0103	14.970 kg	14.970 kg	-	-
UNIBEAM 3.00 m RADIUS x 90 DEGREE CURVED TRACK [UBM01C-3000-90] *	UBM0104	20.370 kg	20.370 kg	-	-
UNIBEAM 6.00 m RADIUS x 90 DEGREE CURVED TRACK (IN 2 PIECES) [UBM01C-6000-90] *	UBM0105	40.740 kg	40.740 kg	-	-

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
UNIBEAM JOINT SET [UBM05]	UBM0501	1.089 kg	1.089 kg	-	-
UNIBEAM OVERLAP ARM FOR UBM2801 - SINGLE TRACK [UBM07A]	UBM8001	1.827 kg	1.827 kg	-	-
UNIBEAM DEADLINE FIXING [UBM15]	UBM1501	0.652 kg	0.652 kg	-	-
UNIBEAM M12 STUDDING - 150 mm WITH NUTS & WASHERS [UBM18]	UBM1801	0.205 kg	0.205 kg	-	-
UNIBEAM SCENERY CARRIER (WLL 385 kg) [UBM28A]	UBM2801	3.671 kg	3.671 kg	-	-
UNIBEAM SCENERY CARRIER WITH BRAKE (WLL 385 kg) [UBM28ABK]	UBM2802	4.122 kg	4.122 kg	-	-
UNIBEAM SCENERY CARRIER WITH HANGING LOOPS (WLL 385 kg) [UBM28AC]	UBM2803	3.864 kg	3.889 kg	-	-
UNIBEAM ROPE CLAMP FOR UBM2801 - SIDE CORDING [UBM35]	UBM8002	0.386 kg	0.386 kg	-	-
UNIBEAM HANGING CLAMP - 50 mm (WLL 50 kg) [UBM02-50]	UBM2002	0.272 kg	0.272 kg	-	-
UNIBEAM HANGING CLAMP - 100 mm (WLL 150 kg) [UBM02-100]	UBM2003	0.513 kg	0.513 kg	-	-
UNIBEAM HANGING CLAMP - 300 mm (WLL 250 kg) [UBM02-300]	UBM2004	1.532 kg	1.532 kg	-	-
UNIRING [UNIRING]	UBM2005	0.025 kg	0.025 kg	-	-
10 m PENDANT OPEN/STOP/CLOSE [PENB10]	MDA7101	1.130 kg	1.130 kg	-	-
10 m PENDANT OPEN/STOP/CLOSE & SPEED POT [PENS10]	MDA7102	1.400 kg	1.400 kg	-	-
10 m PENDANT OPEN/STOP/CLOSE & KEY SWITCH [PENK10]	MDA7103	1.330 kg	1.330 kg	-	-
PENDANT EXTENSION (BASE PRICE) [PEN-EXT]	MDA7106	VARIES	VARIES	-	-
WIRELESS PENDANT [WIRELESS]	MDA7107	0.721 kg	0.721 kg	-	-
TAB HOOK FOR STITCHING INTO CURTAIN HEADERS X 10 [TABHOOK10]	TBH0801	0.056 kg	0.056 kg	-	-
TAB HOOK FOR STITCHING INTO CURTAIN HEADERS X 100 [TABHOOK100]	TBH0802	0.580 kg	0.580 kg	-	-
TAB HOOK FOR STITCHING INTO CURTAIN HEADERS X 1000 [TABHOOK1000]	TBH0803	6.000 kg	6.000 kg	-	-
TAB HOOK FOR STITCHING INTO CURTAIN HEADERS X 5000 [TABHOOK5000]	TBH0804	28.500 kg	28.500 kg	-	-
TWIN HOOK FOR CURTAIN EYELETS X 10 [TWINHOOK10]	TWH0801	0.042 kg	0.042 kg	-	-
TWIN HOOK FOR CURTAIN EYELETS X 100 [TWINHOOK100]	TWH0802	0.447 kg	0.447 kg	-	-
TWIN HOOK FOR CURTAIN EYELETS X 1000 [TWINHOOK1000]	TWH0803	4.400 kg	4.400 kg	-	-
TWIN HOOK FOR CURTAIN EYELETS X 5000 [TWINHOOK5000]	TWH0804	22.000 kg	22.000 kg	-	-
UNIJACK WITH 50 mm CASTOR (WLL 160 kg) [UJA1]	UJA4101	3.174 kg	3.174 kg	-	-

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
UNIJACK WITH 80 mm CASTOR (WLL 150 kg) [UJA2]	UJA4201	3.799 kg	3.799 kg	-	
UNIJACK WITH RUBBER BRAKE FOOT [UJA3]	UJA4301	2.418 kg	2.418 kg	-	-
UNIJACK LIFT STUDS AND SAFETY CATCH SET [UJA5]	UJA4501	0.172 kg	0.172 kg	-	-
UNIJACK KEY PLATE FOR LIFT STUDS [UJA6]	UJA4601	0.347 kg	0.347 kg	-	-
UNIJACK RUBBER BLOCK FOR UJA4301 [UJA08]	UJA4301-P01	0.064 kg	0.064 kg	-	-
20 COMPLETE LOOSE PIN HINGES (10 PAIRS) [PH20]	HIN0101	1.527 kg	1.527 kg	-	-
100 COMPLETE LOOSE PIN HINGES (50 PAIRS) [PH100]	HIN0102	7.635 kg	7.635 kg	-	-
200 COMPLETE LOOSE PIN HINGES (100 PAIRS) [PH200]	HIN0103	16.600 kg	16.600 kg	-	-
1000 COMPLETE LOOSE PIN HINGES (500 PAIRS) [PH1000]	HIN0104	83.000 kg	83.000 kg	-	-
1 SPARE PIN ONLY [LP1]	HIN0105	0.012 kg	0.012 kg	-	-
LOOSE PINS (PACKED 100) [LP100]	HIN0106	0.901 kg	0.901 kg	-	-
LOOSE PINS (PACKED 1000) [LP1000]	HIN0107	9.010 kg	9.010 kg	-	-
BLACK 8mm POLYESTER CORD - Per M	TRA2701	0.047 kg	-	-	-
BLACK 8 mm POLYESTER CORD - 100 m ON A REEL [TRA27-100]	TRA2702	5.104 kg	5.104 kg	-	-
BLACK 8 mm POLYESTER CORD - 200 m ON A REEL [TRA27-200]	TRA2703	9.300 kg	9.300 kg	-	-
BLACK 8 mm POLYESTER CORD - 500 m ON A REEL [TRA27-500]	TRA2704	25.00 kg	25.00 kg	-	-
BLACK 8 mm POLYESTER CORD - 1000 m ON A REEL [TRA27-1000]	TRA2705	48.400 kg	48.400 kg	-	-
HARDWARE KIT FOR UBM2801 [HWK-UBM28A]	HWK-UBM2801	0.998 kg	0.998 kg	-	-
HARDWARE KIT FOR TRA0601 [HWK-TRA06]	HWK-TRA0601	0.049 kg	0.049 kg	-	-
HARDWARE KIT FOR TRA2802 [HWK-TRA28AHD]	HWK-TRA2802	0.585 kg	0.585 kg	-	-
HARDWARE KIT FOR ERL0702 [HWK-ERL0712]	HWK-ERL0702	0.067 kg	0.067 kg	-	-
SWIVEL ARM - INCREMENTAL MECHANISM - CONDUIT SOLD SEPARATELY	SWA5001	0.709 kg	0.709 kg	-	-
SWIVEL ARM - 22 mm Ø CONDUIT UP TO 1.50 m LONG	SWA5002	VARIES	VARIES	-	-
KEEPER BAR FOR TRA06 [TRA06KN]	TRA0601-P01	0.005 kg	0.005 kg	-	-
LIMIT SWITCH FOR UNITRACK STRAIGHT TRACK [LIMSWUTS]	MDA7001	VARIES	VARIES	-	-

N.B. Square brackets contain old product codes.

01959 570 333
triplee.ltd
info@triplee.ltd
triple-e-ltd

TRIPLE E
PRODUCT WEIGHT LIST 2024

DESCRIPTION	CODE	COMPONENT SELF WEIGHT (kg)	PACKED WEIGHT (kg)	UNIBEAM ASSEMBLED WEIGHT (kg)	UNITRACK ASSEMBLED WEIGHT (kg)
LIMIT SWITCH FOR UNITRACK CURVED TRACK [LIMSWUTC]	MDA7002	VARIES	VARIES	-	-
LIMIT SWITCH FOR UNIBEAM STRAIGHT TRACK [LIMSWUBS]	MDA7003	VARIES	VARIES	-	-
LIMIT SWITCH FOR UNIBEAM CURVED TRACK [LIMSWUBC]	MDA7004	VARIES	VARIES	-	-
LIMIT SWITCH FOR ERAIL STRAIGHT TRACK [LIMSWES]	MDA7006	VARIES	VARIES	-	-
LIMIT SWITCH FOR ERAIL CURVED TRACK [LIMSWEC]	MDA7007	VARIES	VARIES	-	-
LIMIT SWITCH ROPE GUIDE FOR ERAIL OFFSET OVERLAP [LIMSWEO]	MDA7008	VARIES	VARIES	-	-
LIMIT SWITCH CABLE CLIP [LIMSWCC]	MDA7009	0.005 kg	0.005 kg	-	-

N.B. Square brackets contain old product codes.